

Product Description

| | |
|----------|---|
| Model | TM008 |
| Material | 200 PU |
| Material | ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Material | 1100 PU |
| Material | ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Material | D |
| Material | |
| Material | PU |
| Material | PU |
| Material | |
| Material | EVA |
| Material | PU |
| Material | |
| Material | 37x47 |
| Material | 6 |
| Material | |
| Material | 1x20 59 x 44 x 33 cm |
| Material | 3300 / 1x20 ' 6600 / 1x40 |

Product Pictures





TIGER MASTER

Professional SAFETY SHOES



CE



YOUR SAFETY IS OUR CONCERN

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY