

Product Description

Model	CE S3 SRC
Part Number	TM008L
Material	PU
Thickness	200 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	1100 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Color	D
Surface	
Material	PU
Material	PU
Material	
Material	EVA
Material	PU
Material	
Material	37x47
Material	6
Material	
Material	1x20 ' 10 58.5 x 40 x 32.5 cm
Material	3300 / 1x20 ' 10 6600 / 1x40

Product Pictures





TIGER MASTER

Professional SAFETY SHOES



CE



YOUR SAFETY IS OUR CONCERN

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY