

Product Description

Model	TM012L
Material	Upper: PU / PU Insole: EVA
Weight	1. 36-47g
Dimensions	58.5 x 40 x 32.5 cm
Standards	CE EN ISO 20345:2011 S1-PSRC
Features	200 Joule TOECAP, Slip-Resistant, Shock Absorption, Anti-Static, Petrol and Chemical Resistant, Anti-Nail Midsole, Oil Resistant
Available Sizes	3300mm / 1x20" / 6600mm / 1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Our products are made of PVC and comply with ISO9001:2015 and CE ENISO 20345:2011 and ASTM F2413-18 standards. We also offer PPE products made of rubber and other materials. We are a leading manufacturer of safety shoes in the world.

Our products are made of PVC and comply with ISO9001:2015 and CE ENISO 20345:2011 and ASTM F2413-18 standards. We also offer PPE products made of rubber and other materials. We are a leading manufacturer of safety shoes in the world.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



[View More](#)



Traffic Cone

[View More](#)



Warning Tape

[View Details](#)