Product Description

[illegible]	[illegible]
[illegible]	TM018
[illegible]	[illegible] [illegible]PU/PU[illegible]
[illegible]	1.[illegible]
	2.[illegible]
[illegible]	1.[illegible] [illegible]
	2.[illegible]
[illegible]	PU[illegible]
[illegible]	PU[illegible]
[illegible]	[illegible]
[illegible]	[illegible]EVA[illegible] [illegible]
[illegible]	PU[illegible]
[illegible]	[illegible]
[illegible]	36-47
[illegible]	CE EN ISO 20345[illegible]2011SB-PSRC[illegible]
[illegible]	6[illegible] [illegible]6[illegible] [illegible]
[illegible]	1[illegible]c [illegible]10[illegible]
[illegible]	59 x 44 x 33 cm
[illegible]	3200[illegible]/1x20"[illegible] 6400[illegible]/1x40[illegible]

Product Pictures

TIGER MASTER

Steel toe cap can reach impact resistant 200 joules
Dual density PU outsole
EVA coated with air mesh fabric
Steel plate can reach puncture resistant 1100 newton

PACKING

Company Information

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM





SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Personal Protective Equipment
Work safety solution provider

Safety Work Shoes

View More

PVC Rain Boots

View More

Military Army Boots

View More

Rain Coat/ Suit

View More

Work Garments

View More

Reflective Safety Vest

View More

Safety Work Gloves

View More

Safety Helmets

View More

Safety Harness

View More

Ear muff/ Plugs

View More

Safety Goggles

View More

Warning Tape

View Details