

Product Description

Model	TM054
Material	PU/PU
Weight	1. 200g
Length	2. 200mm
Width	1. 110mm
Height	2. 200mm
Color	
Material	
Material	
Material	
Material	EVA
Material	
Material	
Material	37-46
Material	CE EN ISO 20345:2011 SB-P SRC O1 O2 O3 SB S1 S1-P S2 S3
Material	6mm
Material	
Material	
Material	10mm / 40mm / 32.5cm
Material	3300mm/1x20" / 6600mm/1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



□□□□□□

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY