

Product Description

Material	High-density polyethylene
Model	TM102
Material Type	High-density polyethylene PU
Material Thickness	200 micrometers ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 High-density polyethylene
Material Weight	1100 grams ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 High-density polyethylene
Material	CE en ISO 20345 SBP SRC
Material	
Material	
Material	
Material	hi-poly PU
Material	
Material	
Material	38-46
Material	6
Material	s/ / /
Material	High-density polyethylene 10 micrometers 58.5 x 40 x 32.5 cm
Material	3300 / 1x20 'High-density polyethylene' 6600 / 1x40 'High-density polyethylene'

Product Pictures





SHOW

DETAIL DISPLAY

- **Over toe cap protection**



TIGER MASTER SAFETY SHOES

Your safety is our concern



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY