

Product Description

Material	High-density polyurethane
Model	TM103
Material Type	Polyurethane PU
Material Thickness	200mm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 High-density polyurethane
Material Thickness	1100mm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 High-density polyurethane
Material	CE en ISO 20345 SBP SRC
Material	2mm high-density polyurethane
Material	PU
Material	High-density polyurethane
Material	High-density polyurethane
Material	hi-polyurethane
Material	High-density polyurethane
Material	High-density polyurethane
Material	38-46
Material	6
Material	5mm/10mm/15mm high-density polyurethane
Material	High-density polyurethane 1mm high-density polyurethane 10mm high-density polyurethane 59 x 44 x 33 cm
Material	3300mm / 1x20 'High-density polyurethane 6600mm / 1x40 'High-density polyurethane

Product Pictures






SHOW

DETAIL DISPLAY



- **Over toe cap protection**



TIGER MASTER SAFETY SHOES

Your safety is our concern

Double sides zippers

Genuine cow suede leather



Comfortable Insoles

Breathable



Steel toe cap
Impact resistant



PU & Rubber Sole
Oil & acid & slip resistant

Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY