Product Description

□□□□	□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□	TM1203
□□□□□□□□□	□□□□□□□□□□□□□□□□□□□ □□□□PU / PU□□□□
□□□□	1.□□□□200□□□□□□□□□□□□□
	□□□□□□□□□□□□□□□□
□□□□□□□	1.□□□□□□□□□□□□1100□□□□□□
	□□□□□□□□□□□□
□□	□□□□□□□□□□□□□
□□	□□□□□□□□□□□□□□□□□□□□
□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□EVA
□□□	PU□□
□□□	□□□□
□□□□	38-46
□□□	2011□SB-P SRC□□□CE EN ISO 20345□ □□□/□□□□/□□/□□□□□□□□□□□□□□
□□□	6□□
□□□□□□	1 C□□□1□□□□□□□□□10□□□Olor Inner Box Packing□
□□□□□□□	59 x 44 x 33 cm
□□□□□□□	3300□□/ 1x20 '□□□□ 6600□□/ 1x40 '□□□□

Product Pictures

TIGER MASTER

TIGER MASTER SAFETY SHOES

Your safety is our concern

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY