

Product Description

Model	TM125
Material	PU
Weight	200g
Standard	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Color	Black
Size	EUR 37-47
Quantity	6
Dimensions	10 x 40 x 32.5 cm
Price	3300 / 1x20" / 6600 / 1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT






Company Information

Our products are made of PVC and are certified to ISO9001:2015 and CE ENISO 20345:2011 standards. We also comply with ASTM F2413-18 standards. Our products are made of PPE (Personal Protective Equipment) and are suitable for use in industrial environments. For more information, please contact us at info@pvc.com or visit our website at www.pvc.com.

Our products are made of PVC and are certified to ISO9001:2015 and CE ENISO 20345:2011 standards. We also comply with ASTM F2413-18 standards. Our products are made of PPE (Personal Protective Equipment) and are suitable for use in industrial environments. For more information, please contact us at info@pvc.com or visit our website at www.pvc.com.

TIGER MASTER OFFICE SHOW



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY