

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT

TIGER MASTER®

CE APPROVED



TIGER MASTER®





01

Steel Toe

Anti-Shock Steel toe cap

Steel toe cap design giving protection from dangerous falling objects

European Standard Steel Toe Cap

- ① Steel toe shoes with CE EN ISO 20345:2011 standard
- ② Impact resistance of 200J
- ③ Widened Steel Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Midsole

Steel mid-sole puncture proof 1100 newtons,
To protect your feet without puncture by nail or
sharp objects.

Steel Mid-sole



03

Anti-Slip

Rubber Out Sole

Slip-resistant Rubber outsole meets CE EN ISO 20345:2011 Non-Slip Testing Standards.

**Provides stronger wear-resisting,
a slip-resistant Rubber outsole for excellent stability.**



04

Waterproof

Upper & Insole

Waterproof Cow Leather Upper

Removable metatomical HI-POLY footbed provides long-lasting underfoot support and comfort.



Waterproof cow leather upper



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)