

## Product Description

Material	Polyurethane
Model	TM2017
Material	Polyurethane PU
Material	200gsm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material	1100gsm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material	CE en ISO 20345 SB-P SRC
Material	
Material	PU
Material	PU
Material	
Material	
Material	PU
Material	
Material	38-46
Material	6
Material	Safety / Slip / Anti-static / Anti-static
Material	100% Polyurethane 100% 59 x 44 x 33 cm.
Material	3200gsm / 1x20' / 6400gsm / 1x40'

## Product Pictures





# TIGER MASTER SAFETY SHOES

Your safety is our concern



**Steel toe cap**  
**Impact resistant**

**Comfortable Insoles**  
**Breathable**



**PU dual density sole**  
**Oil & slip resistant**

**Steel plate**  
**Puncture Resistant**

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY