

Product Description

Model	TM2032
Material	1. PU 2. EVA
Weight	200g
Dimensions	59 x 44 x 33 cm
Color	Black
Gender	Unisex
Season	Autumn/Winter
Usage	Indoor/Outdoor
Features	Anti-static, Anti-nail, Oil resistant, Shock absorption, Slip-resistant, 200 Joule toe cap
Price	36-47
Certification	CE EN ISO 20345:2011 SB-PSRC
Warranty	6 months
Manufacturer	3200/1x20" / 6400/1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



ZIPPER





Company Information

Our shoes are made from PVC and are certified to ISO9001:2015 and CE EN ISO 20345:2011 standards. They also meet ASTM F2413-18 safety standards and are made with PPE (Personal Protective Equipment) materials. For more information, please contact us at info@pvcshoes.com or call us at 1-800-555-1234.

We are committed to providing high-quality, durable footwear for all our customers. Our shoes are designed to provide maximum protection and comfort, making them the perfect choice for any work environment. Thank you for choosing our brand.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)