

Product Description

品名	安全鞋
品號	TM209
材質	鞋面: 帆布 鞋墊: PU/PU
規格	1. 鞋面厚度 200 2. 鞋墊厚度
重量	1. 鞋面重量 1100 2. 鞋墊重量
鞋面	帆布
鞋墊	PU
鞋底	EVA
鞋面	PU
鞋底	PU
鞋碼	36-47
認證	CE EN ISO 20345 2011 SB-PSRC
鞋面	6 6
鞋底	10/10/10/10/10/10
鞋面	10/10/10/10/10/10 59 X 44 X 33 cm
鞋面	3200/1x20" 6400/1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Our products are made of PVC and are certified to ISO9001:2015 and CE ENISO 20345:2011 and ASTM F2413-18 standards. We also offer PPE products. Our products are available in various sizes and colors. For more information, please contact us at y@tiger.com or visit our website at www.tiger.com.

Our products are made of PVC and are certified to ISO9001:2015 and CE ENISO 20345:2011 and ASTM F2413-18 standards. We also offer PPE products. Our products are available in various sizes and colors. For more information, please contact us at y@tiger.com or visit our website at www.tiger.com.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



[View More](#)



Traffic Cone

[View More](#)



Warning Tape

[View Details](#)