

Product Description

Material	PU
Material Code	TM3014
Material Type	PU
Material Thickness	200 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Weight	1100 ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Standard	CE en ISO 20345 SB-P SRC
Material Color	
Material Finish	PU
Material Pattern	PU
Material Texture	
Material Application	
Material Usage	PU
Material Quantity	
Material Price	38-46
Material Lead Time	6
Material Availability	Stock/Lead Time/Lead Time/Lead Time
Material Dimensions	1000mm x 1000mm x 1000mm 59 x 44 x 33 cm.
Material Weight	3200g / 1x20 'meters' 6400g / 1x40 'meters'

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Steel toe cap
Impact resistant

Comfortable Insoles
Breathable



PU dual density sole
Oil & slip resistant

Steel plate
Puncture Resistant

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY