Product Description

商品名：	中国ひもなしのタイガーマスターブランドの安全靴
商品番号：	TM3021
アッパーとソール：	上級：訂正分割牛革 ソール：PU / PU二重密度ソール
つま先：	1.耐摩耗性200ジュールに耐衝撃性の鋼管。危険なしで足をつま先を守るため。
	非鋼のつま先も提供されています。
ミッドソール：	1.鋼板が耐穿刺抵抗力がある1100ニュートン。爪や鋭いもので穴を穿刺することなく足を保護する
	非鋼板も提供されています
スタイル：	両側が弾力を持つレースはありません
舌：	訂正分割牛革
粘膜：	ソフトエアメッシュファブリック（それはあなたの足を快適に保たれるでしょう）
ソックライナー：	あなたの要求としてエアメッシュ布または他のものをコーティングした反静的成形EVA（あなたの足の痛みや毎日の仕事からの疲労を大幅に削減）
工事：	PU注射
身長：	中央カット
サイズ：	38-47
標準：	CE en ISO 20345：2011 S1-P SRCなど。
保証：	6ヵ月
パッケージ：	1 Cあたり1組ｶｰﾄﾝで10ﾍﾟｱのOlor Inner Box Packing。
カートンサイズ	59 x 44 x 33 cm
容器の負荷量：	3200ﾍﾟｱ/ 1x20 'ｺﾝﾃﾅ 6400ﾍﾟｱ/ 1x40 'ｺﾝﾃﾅ

Product Pictures

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Certificate No.: 6943070Q014

Certified that

Harbin Ana Safety Products Mfg., Co., Ltd.

Has established a Quality Management System which is in Accordance with the Requirements of the Standard:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Manufacture and Sales of Polyvinyl Chloride (PVC)

Protective Rain Boots (Except for Production License Products)

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY