

Product Description

Material	Compoistoe
Material Code	TM7005
Material Description	Compoistoe PU
Material Thickness	200
Material Standard	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Material Weight	1.70 kgs / pr
Material Color	Black
Material Type	PU
Material Application	PU
Material Safety	Compoistoe
Material Certification	Compoistoe PU
Material Origin	PU
Material Compliance	EUR 38-46
Material Quantity	6
Material Dimensions	59 x 44 x 33 cm
Material Packaging	3200 / 1x20 'Compoistoe' 6400 / 1x40 'Compoistoe'

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection