

DESCRIPTION

TIGER MASTER

品名:	PP 地板 地板 PP PVC 地板 地板 地板 地板
品番:	GB06-5
用途:	PP 地板 地板 地板 地板
寸法:	36~47mm
幅:	38cm (幅)
重量	重量 2.0-2.1 KGS
材質	100% PP PVC 地板(PP 地板)
特徴:	PP 地板(PP 地板)
仕様	PVC 地板
規格	CE 規格
備考	<ol style="list-style-type: none">1. PP/PP/PP/PP 地板, PP 地板, PP PVC 地板.2. PP 地板 地板.3. PP 地板, PP 地板 地板 地板, PP 地板 地板.4. 200mm PP 地板 地板 地板.5. PP 地板 1100 PP 地板 地板 地板.
数量:	5 箱
包装:	PP 地板 地板 1mm, PP 地板 10mm. PP 地板 地板 地板.
G.W./N.W.:	22kg/20kg
備考:	PP 地板 地板 地板 40mm.

PRODUCT PICTURES

TIGER MASTER



COMPANY INFORMATION

TIGER MASTER

Tiger Master 靴は PVC で製造されています。ISO 9001:2015 で認証された品質管理システムに従って製造されています。靴は CE 規格 ENISO 20345:2011 および ASTM F2413-18 に準拠しています。また、靴は 100% 再生可能な素材で作られています。

靴は 100% 再生可能な素材で作られています。また、靴は 100% 再生可能な素材で作られています。靴は 100% 再生可能な素材で作られています。

Tiger Master 靴は PVC で製造されています。ISO 9001:2015 で認証された品質管理システムに従って製造されています。靴は CE 規格 ENISO 20345:2011 に準拠しています。

靴は 100% 再生可能な素材で作られています。靴は 100% 再生可能な素材で作られています。靴は 100% 再生可能な素材で作られています。



PVC 鋼絲繩 鋼絲繩, 鋼絲繩 鋼絲繩 鋼絲繩.



Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine



Tensile testing machine

PVC 鋼絲繩 鋼絲繩. 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩. 鋼絲繩 鋼絲繩 鋼絲繩.

Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Tiger Master 1000 1000 1000 1000. 1000 1000 1000 1000. 1000 1000 1000 1000 1000 1000 1000.

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY