

Product Description

Model:	5075
Material:	PU / PU
Weight:	200g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Weight:	1100g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Color:	CE
Material:	PU
Material:	PU
Material:	EVA
Material:	PU
Material:	PU
Size:	38 ~ 46
Quantity:	6
Material:	PU / PU / PU, PU, PU, PU,
Material:	PU 1, PU 10. PU 59 x 44 x 33cm
Material:	3200pairs / 1x20' PU 6400pairs / 1x40' PU

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY