Product Description

상품명:	낮은 발목 스포츠 스타일 안전 신발
제품 번호:	536.
어퍼와 솔 :	공기 통기성 3D 비행 뜨개질 원단 천연 고무 단독
발가락 뚜껑 :	강철 발가락 뚜껑은 충격 방지 200 줄입니다. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 표준) 비가 아닌도 제공됩니다.
중순 단독 :	비금속 부적절한 부패는 펑크 저항성 1100 Newton이 될 것입니다. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 표준) 비가 아닌도 제공됩니다.
표준:	CE EN ISO 20345 SBP SRC 또는 기타
레이스:	내구성 평면 신발 레이스
칼라 & 혀 :	고밀도 직물
무게:	한 쌍당 900g
내벽:	통기성 공기 메쉬 원단
Sockliner :	성형 EVA 또는 하이 폴리 또는 우레탄
구성:	시멘트
신장:	낮은 발목
크기:	36-46.
보증:	삼 개월
함수:	에스입술 / 오일 / 충격 / 펑크 저항성, 가벼운, 통기성, 충격 흡수
꾸러미:	컬러 박스 당 1 쌍, 카톤 당 10 쌍. 카톤 크기가 있습니다58.5 x 40 x 32.5 cm.
컨테이너의 적재량 :	3300pairs / 1x20 '컨테이너 6600Pairs / 1x40 '컨테이너

Product Pictures

Air breathable
3D fly knitting fabric

SAFETY PROTECTION

prevent puncture ⩾1100N


SAFETY PROTECTION
Impact resistant≥200J

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY