

Product Description

Model:	609
Material:	PU Upper & EVA Sole (MD SOLE)
Weight:	200g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Strength:	1100 Newton (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Standard:	CE EN ISO 20345 SBP SRC
Color:	
Size & Fit:	
Weight:	900g
Material:	
Sockliner:	EVA
Color:	
Size:	
Size:	36-46
Weight:	
Material:	
Dimensions:	58.5 x 40 x 32.5 cm
Quantity:	3300pairs / 1x20 ' ; 6600Pairs / 1x40 '

Product Pictures











REFLECTIVE DESIGN



SOFT & LIGHT WEIGHT





▶ **MODEL SHOW**

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY