

Product Description

Model:	Steel toe cap composite toe cap 200JJ.
Model:	701
Sole:	3D Soft EVA Sole is soft EVA
Toe cap:	Steel toe cap composite toe cap 200JJ. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Weight:	1100g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Weight:	0.70 kgs / pr
Material:	Steel
Material:	3D Soft EVA
Material:	3D Soft EVA
Material:	Steel
Material:	EVA HI-POLY PU
Material:	Steel
Material:	Steel
Material:	EUR 36-48
Material:	Steel
Material:	Steel / Steel / Steel / Steel, Steel, Steel, Steel, Steel.
Material:	1 pair 10 pairs. Carton size 58.5 x 40 x 32.5 cm
Material:	3300pairs / 1x20' Steel 6600pairs / 1x40' Steel

Product Pictures







Huade®

重量

8.8345

克

去皮

单位

去皮

去皮

去皮

上海华德衡器有限公司





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY