

Product Description

Model:	Work shoe with safety toe cap and safety sole
Model No.:	756
Material:	Upper: Synthetic leather Lining: Mesh fabric, Breathable mesh
Weight:	1. Weight per pair 200g (without insole). 2. non-slip sole.
Height:	1. Height 110mm (without insole). 2. non-slip sole
Color:	Black
Size:	Black
Material:	Upper: Synthetic leather PU material
Material:	Upper: 'metatomical' EVA HI-POLY material 'anti-static' 'anti-static' 'anti-static'.
Material:	Mesh
Material:	Mesh
Material:	36-47
Material:	CE EN ISO 20345 SB-P SRC material.
Material:	6mm The sole is 6mm thick and has a non-slip sole. The sole is made of mesh.
Material:	Mesh / Mesh / Mesh / Mesh / Mesh / Mesh, Mesh, Mesh, Mesh
Material:	1 pair per box, 10 pairs per box. Box size: 58.5 x 40 x 32.5cm
Material:	3300mm/1x20" mesh 6600mm/1x40" mesh

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT











COMPANY INFORMATION

TIGER MASTER


本公司提供 PVC 安全鞋。符合 ISO 9001:2015 品質管理系統。安全鞋符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準。鞋面採用 PPE(鋼頭鋼底) , 安全鞋提供鋼頭, 鋼底, 鋼頭鋼底, 鋼頭 y 鋼底, 鋼頭/鋼底。

Tiger Master 安全鞋提供鋼頭鋼底。安全鞋提供鋼頭鋼底鋼頭鋼底。安全鞋提供鋼頭鋼底鋼頭鋼底。安全鞋提供鋼頭鋼底鋼頭鋼底。

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)