

Product Description

□□□:	□□□ □□□ □□□ □□□ □□□
□□ □□:	AMX01
□□□ □ :	□□ : □□ □□ □□□ □□ □□ □□□ 3D □□□ □□□ □□ : PU □□ □□
□□□:	1. □□ □□ □□ □ □□□ (200 □) 2. non□ □□ □□□□□.
□□ □□ :	1. □□□□ □□ □□□ □ (1100 □□). 2. □□ □□□□□.
□□:	□□ □□□ 3D □□ □□ □□
□:	□□□ □□
□:	□□ □□□ □□ & □□ □□ □□□ (□□ □□□ □□□□ □□ □□□□ □□)
Sockliner :	□□ □ □□ □□ (HI-POLY) □□ □□ (□□□ □□□□ □□ □□□ □□ □□ □□)
□□:	□□□ □□
□□:	□□ □□
□□:	3-13 (37-47)
□□:	CE EN ISO 20345 : 2011 S1-P □□ □□□ □□ □□□□ □□
□□:	6 □□
□□□:	□□ □□ □□ □□, □□ 10 □.
□□ □□	58.5x40x32.5cm
□□□□□ □□ □□ :	3200 □ / 1x20 '□□□□ 6400pairs / 1x40 '□□□□

Product Pictures



Breathable





Company Information

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY