

| | |
|----------------|---|
| □□□: | □□ □□□ □□ □□ □□ □□ |
| □□ □□: | 12027 |
| □□□ □□ : | □□ □□ □□, □□ □□. |
| □□□: | 1. □□ □□□ □□ □□ □□□□. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 □□, □□□□ □□ □□ □□□ □) |
| | 2. □ □□ □□□□ □□□□□. |
| □□ □□ □□ | □□ □□ □□ |
| □□ | □□□□ □□ □□ □□ |
| □□ / □□□□ | E, EE, EEE□ □□ □ □□□ |
| □: | PU □□ □□, □□ Fabric□ □□□□□□ |
| □: | □□ □□ □□□ □□. |
| □□□□ □□□ | EVA (□□) |
| □□ | □□□□ □□ □□, □□□□, □□ □ □□□ □□ (□□□□ □□□ □□ □, □□□□ □□□□ □□□ □) |
| □□ | □□□□ □□ |
| □□ | □□ □□ |
| □□: | □□□□ |
| □□: | 8 □□ |
| □□ | 4-12 (38-46) |
| □□: | 6□□, □□□□ □□ □ □□ □□. |
| □□: | □□ □□ □□ □□, □□□□ 10□ |
| □□ □□ | □□ 67x49x35cm |
| □□□□□□ □□ □□ : | 2,200~2,500□ / 1X20 '□□ |

12,027 □□ □□ :



12,027 □□ □□ □□ □ :

