

## Product Description

Material:	PU foam with 3D structure forwork
Model:	DTA037
Material:	<ul style="list-style-type: none"> <li>3D : 3D structure</li> <li>PU : PU foam</li> </ul>
Weight:	1. 200 g, 2. 200 g.
Dimensions:	1. 1100 mm, 2. 1100 mm
Thickness:	1.0 mm / pr
Material:	3D foam
Material:	PU foam
Material:	PU foam (with 3D structure)
Material:	EVA HI-POLY PU (with 3D structure)
Material:	PU foam
Material:	PU foam
Material:	37-47 (3-13)
Material:	CE EN ISO 20345 S1P SRC PU foam
Material:	6 mm
Material:	c 1 color PU foam, 10 mm.
Material:	58.5 x 40 x 32.5 cm
Material:	3300 mm / 1x20 'PU foam 6600 mm / 1x40 'PU foam

## Product Pictures





## ***Company Information***





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY