Product Description

상품명:	절연 18KV 복합 토우 펑크 방어 가죽 전기 안전 신발
제품 번호:	EH7201
상단 및 단독 :	엠보싱 스플릿 소 가죽 PU / PU 듀얼 밀도 솔
발가락 캡 :	내 충격성이 200 줄인 컴포지트 발가락. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 표준) Non 또한 제공됩니다.
미드솔 :	비금속 침투 방지 중간 창 펑크 저항력 1100 뉴턴. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 표준) Non 또한 제공됩니다.
무게:	1.4 kgs / pr
스타일:	레이스 업
칼라:	PU 인공 가죽
혀:	PU 인공 가죽
내벽:	통기성 공기 메시 패브릭
안창 :	성형 EVA 또는 HI-POLY 또는 PU
구성:	PU 주입
신장:	미들 컷
크기:	EUR 38 ~ 46
보증:	6 개월
함수:	절연 18kv, metal free, s입술 / 오일 / 충격 / 펑크 저항, 방수, 충격 흡수
꾸러미:	1 색상 상자 당 1 pair 카톤 당 10 pairs. Carton size은59 x 44 x 33 cm
컨테이너의 적재량 :	3200pairs / 1x20 '컨테이너 6400pairs / 1x40’컨테이너

Product Pictures


Insulation
18KV
TIGER MASTER

OIL RESISTANT

TIGER MASTER
SAFETY SHOES

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY