

Advantages

1. 適合 PU / PU 鋼, PU / PU + E-TPU 鋼, ETPU 鋼 鋼鋼鋼 鋼 鋼鋼 鋼鋼鋼.
2. 鋼 鋼, 鋼 鋼鋼 Eeat 鋼, 鋼 鋼鋼 鋼 鋼 鋼鋼鋼 鋼鋼 鋼.
3. 鋼鋼鋼 鋼 鋼鋼鋼 鋼鋼, 鋼 鋼, 鋼 鋼 鋼 鋼.
4. 鋼, 鋼 鋼, 鋼 鋼鋼鋼 鋼鋼 鋼鋼 鋼 鋼 鋼鋼鋼.

Product Description

| | |
|------------|---|
| 鋼鋼: | 鋼鋼鋼鋼 鋼鋼 鋼 鋼鋼 鋼 鋼鋼 鋼 鋼 |
| 鋼 鋼: | ETPU26 |
| 鋼 鋼 : | 鋼 : 鋼 鋼 鋼鋼鋼 鋼 鋼鋼 : PU / PU + ETPU |
| 鋼鋼: | 1. 鋼 鋼 200J 鋼 鋼 鋼鋼 鋼 |
| | 2. 鋼 鋼 鋼鋼鋼 鋼鋼鋼鋼. |
| 鋼鋼 : | 1. 鋼 鋼鋼鋼 1100 鋼鋼鋼鋼 鋼鋼 鋼鋼 鋼 鋼鋼. |
| | 2. 鋼 鋼 |
| 鋼: | 鋼鋼鋼 鋼 |
| 鋼: | 鋼鋼 鋼鋼鋼 鋼 |
| 鋼: | 鋼鋼 鋼 鋼 鋼 鋼鋼 鋼 鋼鋼 |
| 鋼 : | 鋼 鋼 HI-POLY 鋼 PU, 鋼 鋼鋼鋼 鋼 鋼 鋼 鋼 鋼 鋼鋼 鋼 鋼鋼鋼. |
| 鋼: | PU 鋼 |
| 鋼: | 鋼 鋼 |
| 鋼: | 38-46 (4-12) |
| 鋼: | CE EN ISO 20345 S1-P |
| 鋼: | 12 鋼. |
| 鋼鋼: | 鋼 鋼 鋼 鋼, 鋼鋼鋼鋼 10 鋼. |
| 鋼 鋼 | 58.5x40x32.5 鋼 鋼 |
| 鋼鋼鋼鋼 鋼 鋼 : | 3500 鋼 / 1x20 '鋼鋼鋼 7000pairs / 1x40 '鋼鋼鋼 |

Product Pictures



