


□□□:	□□ pvc □□ □□ □□ □□ & □□ & □□□
□□ □□:	HS1017
□□□ □ :	PU □□ □□ □□, PVC □□ □□ □.
□□□:	1. □□ □□ □□□ □□□□ □□□□. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 □□, □□□ □□ □□ □□ □□□)
	2. □ - □□ □□□ □□□□□.
□□ : (□□ □□ □□)	1. □□ □□□□□ □□ □□□□ □□□□□□□□. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 □□, □□□ □□□ □□□ □□)
	2. □ □□□ □□□□□.
□□:	PU□ □□□ □□ □□□□ □□.
□:	□□□ □□□ □□□
□:	□□ □□□
Sockliner :	□□ □□□□□ □□ □ □□ EVA
□□:	PVC □□
□□:	□□ □□
□□:	4-12 (38-46)
□□:	3 □□, □□□ □□□ □□□ □□.
□□□:	□□ □□ □□ □□, □□ 10 □
□□ □□	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
□□□□□ □□ □□ :	3300 ~ 3500 □ / 1x20 '□□□□ 8200-9000 □ / 1x40 '□□ □□□□

□□□ PVC □□□ □□ :



□□ □□ □□ □□ □ :



□□ □□ :

