

Product Description

Model:	HS1050
Material:	PU
Weight:	1.1 kg / pr
Dimensions:	58.5 x 40 x 32.5 cm
Color:	Black
Usage:	Indoor
Features:	Non-slip, Durable
Warranty:	1 Year
Country of Origin:	China
CE Marking:	CE EN ISO 20345 SBP SRC
Temperature Range:	-10°C to 40°C
Weight Capacity:	100 kg
Material Composition:	3300 PU / 1x20 'Sole' 6600 PU / 1x40 'Sole'

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	POWELL HONGKONG LIMITED, LTD. SUNSHINE INDUSTRIAL ZONE, SHICHANG TOWN, HUIZHOU 2271, ZHONGSHAN PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Square Centre, Hong Kong, China																		
	Date of Issue:	11 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294198)																		
	Product Reference(s):	Safety Group: 48001-48002 48000-48004 48003-48008 48007-48009 800-809, 809-809																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Topology:</td> <td>Open ended</td> </tr> <tr> <td>Material:</td> <td>Open slots</td> </tr> <tr> <td>Core:</td> <td>0000</td> </tr> <tr> <td>Wire:</td> <td>0000 (P/NP)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See certificate No.</td> </tr> <tr> <td>Test range:</td> <td>00-00</td> </tr> <tr> <td>Category:</td> <td>000-000</td> </tr> </table>	Construction:	Insulation	Topology:	Open ended	Material:	Open slots	Core:	0000	Wire:	0000 (P/NP)	Mount:	ACB	Test frequency:	See certificate No.	Test range:	00-00	Category:	000-000
Construction:	Insulation																			
Topology:	Open ended																			
Material:	Open slots																			
Core:	0000																			
Wire:	0000 (P/NP)																			
Mount:	ACB																			
Test frequency:	See certificate No.																			
Test range:	00-00																			
Category:	000-000																			
	<i>C.M.</i>	1587-02947																		
	<i>P.L.</i>	1587-02948																		
	Product Reference:	1587-02948																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Square Centre, Hong Kong, China																		



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY