

Product Description

| | |
|---------------|--|
| □□□: | □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ |
| □□ □□: | HS2019 |
| □□ □□ : | □□ □□ □□, PVC □□ □□ □□ |
| □□□: | 1. □□□ □□ □□ □□□. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 □□, □□□ □□ □□ □□ □□) |
| | 2. □ □□ □□□□ □□□□□. |
| □ : | 1. □□ □□□□ □□ □□□□. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 □□, □□□ □□ □□ □□) |
| | 2. □ □□□ □□□□□ |
| □□: | PU □□ □□ |
| □: | PU □□ □□ |
| □: | □□□ □□ & □□ □□ □□ |
| □□ □□□ : | □□ □□□□□ □□ □ □□ EVA |
| □□: | PVC □□ |
| □□: | □□ □□ |
| □□: | 4-12 (38-46) |
| □□: | □ □□ |
| □□□: | □□ □ □□ □□, □□□□□ 10 □ |
| □□ □□ | 59x44x33 □□ □□ |
| □□□□□ □□ □□ : | 3300 □ / 1x20 '□□□□□ 6600 □ / 1x40 '□□□□□ |

Product Pictures



