

Product Description

Model:	803
Code:	803.
Material:	3D mesh fabric SOLEY
Weight:	200 g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Thickness:	1100 g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Weight per pair:	0.80 kgs / pr.
Color:	
Size:	3d
Material:	3d
Material:	
Sockliner:	EVA
Material:	
Material:	
Material:	36-48.
Material:	6.
Material:	
Material:	1, 10. 58.5 x 40 x 32.5 cm.
Material:	3300pairs / 1x20 6600Pairs / 1x40

Product Pictures















PUNCTURE RESISTANT



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY