

Product Description

Material:	PU 3000 3000 3000 3000 3000 3000
Part No.:	PEP002
Material :	3000 : 3000 3000 3000 : PU & EVA & PU
Material:	1. 3000 3000 3000 3000 (3000 3000 3000) (200 3000)
	2. 3000 3000 3000.
Material :	1. Kevlar 3000 (3000 3000) 3000 3000 3000 (1100 3000).
	2. 3000 3000
Material:	3000 3000 PU 3000 3000
Material:	3000 3000 3000
Material:	3000 3000 3000 3000 3000
Material :	3000 3000 HI-POLY 3000 PU (3000 3000 3000 3000 3000 3000 3000)
Material:	PU 3000
Material:	3000 3000
Material:	38-46 (4-12)
Material:	CE EN ISO 20345 : 2011 SB-P 3000 3000 3000 3000
Material:	6 3000
Material:	3000 3000 3000, 3000 3000 10 3000.
Material	59 x 44 x 33cm (41-43)
Material 3000 3000 :	3200 3000 / 1x20 '3000 3000' 6400 3000 / 1x40 '3000 3000'

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	PUJIAN HONGJIAN SHISE CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 321117, ZHOUJANG PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Jersey Science Centre, Paraga Park, Singapore																		
	Date of Issue:	11 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294719)																		
	Product Reference(s):	Safety Plug: 48301-08A02 48302-08A04 48303-08A04 48304-08A04 48305-08A04 800 300 300 300																		
	Description:	<table border="0" style="width: 100%;"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Terminal:</td> <td>Open contact</td> </tr> <tr> <td>Material:</td> <td>Open plug</td> </tr> <tr> <td>Lead:</td> <td>0.002</td> </tr> <tr> <td>Wire:</td> <td>800 (P/CP)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See reference No.</td> </tr> <tr> <td>Test range:</td> <td>08A4</td> </tr> <tr> <td>Category:</td> <td>00P-01A</td> </tr> </table>	Construction:	Insulation	Terminal:	Open contact	Material:	Open plug	Lead:	0.002	Wire:	800 (P/CP)	Mount:	ACB	Test frequency:	See reference No.	Test range:	08A4	Category:	00P-01A
Construction:	Insulation																			
Terminal:	Open contact																			
Material:	Open plug																			
Lead:	0.002																			
Wire:	800 (P/CP)																			
Mount:	ACB																			
Test frequency:	See reference No.																			
Test range:	08A4																			
Category:	00P-01A																			
	Signature:	<i>C.M.</i> 16/1/2018																		
	Printed Name:	16/1/2018																		
	Signature:	16/1/2018																		
	Printed Name:	16/1/2018																		

Intertek is a member of the Intertek Group of companies, which is a leading provider of testing, inspection and certification services. Intertek is a member of the International Laboratory Accreditation Cooperation (ILAC) and the International Organization of Standardization (ISO).



570

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY