

PU:	PU PU PU PU PU PU PU PU
PU:	8075Y
PU :	PU PU PU, PU PU PU.
PU:	1. PU PU PU PU PU. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 PU, PU PU PU PU PU)
	2. PU PU PU PU PU.
PU : (PU PU)	1. PU PU PU PU PU. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 PU PU PU PU PU)
	2. PU PU PU PU
PU:	PU PU PU PU PU.
PU:	PU PU PU PU PU PU
PU:	PU PU PU PU PU PU
PU :	PU PU
PU:	PU PU
PU:	PU PU
PU:	4-12 (38-46)
PU:	3PU, PU PU PU PU PU.
PU:	PU PU PU PU, PU PU 10PU
PU PU	56x38x31.5cm (38 ~ 40) 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
PU PU PU PU :	3PU / 1X20 'PU 8,200PU / 1x40 'HQ PU PU

PU PU PU PU PU








□□ □□ □□ □□ □□ :



□□ □□ □□ □□ □□ □□ :



□□ □□ □□□ :



□□ □□ □□ □□ □□ :

Production Process



Raw Materials



Punching



Cutting



Sewing



Eyeleting



Riveting



Heat-setting



Molding



Making Up



Inspection



Packing



Finish Products