

## Product Description

CE:	CE 300 °C CE CE CE CE CE CE CE
Model:	RB1092
Material:	PU : PU PU PU PU : PU
Features:	1. 200Joules CE CE CE CE. 2. CE CE CE CE.
Weight:	1. CE CE CE CE. 1100 CE. 2. CE CE CE CE.
Color:	PU PU PU
PU:	PU PU PU
PU:	PU PU PU & PU PU PU PU
Sockliner :	PU PU PU PU PU PU PU EVA
PU:	PU PU PU
PU:	PU PU
PU:	3-13 (37-47)
PU:	S1P SRC PU PU PU PU
PU:	6 PU
PU:	PU PU PU PU, PU 10 PU.
PU PU	58.5x40x32.5cm
PU PU PU PU :	3200 PU / 1x20 'PU PU 6400pairs / 1x40 'PU PU

## Product Pictures







**CE APPROVED**

**ASTM APPROVED**

***Company Information***





**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANYANG  
DISTRICT, SHANGHAI PROVINCE, CHINA

**Authorised Representative:** HONGJIAN SHISEI PRODUCTS (SHEK) CO., LTD.  
1201 VILLAGE SQUARE TOWER, JIANGNAN TOWN, NANYANG  
DISTRICT, SHANGHAI PROVINCE, CHINA

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170004199)

**Product Reference(s):** Safety Valve  
K5011 (K5011)  
K5012 (K5012)  
K5013 (K5013)  
K5014 (K5014)  
K5015 (K5015)  
K5016 (K5016)  
K5017 (K5017)  
K5018 (K5018)  
K5019 (K5019)  
K5020 (K5020)

**Description:** Components: Inlet  
Type: Direct acting  
Material: Brass  
Port: G1/2  
Size: 2000 (1/2")  
Mount: A221  
Test Standard: EN 12286-1  
Test Range: 0.1-16  
Category: 009 (A2)

*C.M.* 15/1/2018

**Product Manager** 15/1/2018

Intertek Testing Services (UK) Limited 15/1/2018



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY