

## Product Description

Model:	RB1200
Material:	1. PU 200 g/m <sup>2</sup> . 2. PU 100 g/m <sup>2</sup> .
Weight:	1. 1100 g. 2. 550 g
Thickness:	1.2 mm / pr
Color:	PU black
Surface:	PU black
Pattern:	Grid (10x10 mm)
Backings:	EVA (10x10 mm grid)
Roll width:	59x44x33 cm
Roll length:	3200 m / 1x20' roll 6400 m / 1x40' roll

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.  
1201 Village, Xujiao Town, Jiangyin District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Group:  
480V-100A/2  
480V-100A/4  
480V-100A/6  
480V-100A/8  
480V-100A/10  
480V-100A/12

**Description:**

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CU
Wire:	600V PLY/PE
Mount:	ACB
Test frequency:	See technical file
Test range:	30-40
Category:	SBP-40A

**Authorised Representative:** *C.M.* 1687-02947

**Product Reference:** 1687-02947

**Authorised Representative:** 1687-02947

**Intertek Reference:** 1687-02947

**Intertek Reference:** 1687-02947





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY