

## Product Description

Quantity:	8 pairs per box, 200 boxes per pallet
Model:	SD5065
Material:	Upper: PU, Lining: PU
Weight:	1. 200g per pair, 2. 200g per pair.
Dimensions:	1. Length: 1100mm, 2. Width: 37-47mm
Color:	1.2 colors / pair
Material:	Upper: PU, Lining: PU
Material:	PU
Material:	PU (with EVA insole)
Material:	EVA insole (with EVA insole)
Material:	PU
Material:	8 pairs
Material:	37-47 (3-13)
Material:	CE EN ISO 20345 SBP SRC
Material:	6 pairs
Material:	c 1 color, 10 pairs
Material:	59x44x33mm
Material:	3000 pairs / 1x20' container 6000pairs / 1x40' container

## Product Pictures





**Company Information**



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISE CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.  
1201 Village, Xuyuan Road, Jiangyin District, Suzhou,  
Henan Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Group:  
480V1-480V2  
480V3-480V4  
480V5-480V6  
480V7-480V8  
480V9-480V10  
480V11-480V12

**Description:**

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CCC
Wire:	CCC (PVC)
Mark:	CCC
Test frequency:	See certificate No.
Test range:	30-45
Category:	SPF-10A

*C.M.* 1687-0218

 *P. Li* 1687-0218

Authorized Representative  
1201 Village, Xuyuan Road,  
Jiangyin District, Suzhou,  
Henan Province, China  
Tel: +86 512 5221111  
Fax: +86 512 5221112  
E-mail: hndh@hndh.com.cn

Intertek Testing Services (UK) Limited  
15, West Nyack, New York, NY 10994-2133, USA  
Tel: +1 845 346 7700  
Fax: +1 845 346 7701  
E-mail: intertek@intertek.com



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY