

Product Description

Material:	PU 3D mesh fabric
Model:	SP028
Material:	3D mesh fabric PU / PU mesh fabric
Weight:	200g mesh fabric. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Weight:	1100g mesh fabric. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Material:	PU mesh
Material:	3D mesh fabric
Material:	PU mesh fabric
Material:	PU mesh fabric
Material:	EVA foam, PU, PU, PU mesh fabric
Material:	PU mesh
Material:	PU mesh
Material:	EUR 38 ~ 46
Material:	6 mesh
Material:	3D mesh fabric / PU / PU / PU mesh, PU mesh, PU mesh
Material:	1 pair mesh fabric 1 pair mesh fabric 10 pairs. Carton size 58.5 x 40 x 32.5 cm
Material:	3300pairs / 1x20' mesh fabric 6600pairs / 1x40' mesh fabric

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY