

□□ □□ □ □□ □□ & □□□ & □□□ ...□□ □□

Product Description

□□□ □□ □ PVC □□□ □□

1. □□ □□ : SQ-01
2. □□ : □□□ □□ □□□□ □□ □□□□ □□ □□ □.
3. □□ : 38-44 (4-10)
4. □□ : 100 % PVC □ & □□
5. □□□ : □□ □□ □□ □□□ □□□
6. □□ : 30cm (□□)
7. □□ □□ : 1.0 kgs / pr
8. □□ : PVC □□
9. □□ □□ : 3 □□
10. □□ : □□□
11. □□ : □ / □ / □□□ / □□ / □□□□ / □□□□ □□, □□□□ □□. □□outsole □□ □□ □ □□□□□. □□ □□, □ □□□□ □□ □□□ □□□ □□, □□□□□ □ □□□ □□
12. □□ : □□, □□, □□, □□ □□, □□ □□, □□ □.
13. MOQ : 14000 □

Packing

1. □□ □□ □ 1 □, □□ □ 20 □.
2. □□ □□ : 60x40x43 cm
3. G.W./NW .: 22kgs / 20kgs
4. 14000 □ / 40'HQ

Product Pictures



Company Information



**Automatic Injection
Molding Machine**



**Puncture
Testing Machine**



**Impact Resistant
Testing Machine**



**Tensile
testing machine**



Canton Fair

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY