

□□ □□ □ □□ □□ & □□□ & □□□ ...□□ □□

## Product Description

□□□ □ □ □□ □ □□ □ PVC □□□ □ □□

1. □□ No .: SQ-BB
2. □□ : □□□ □□ □□□□ □□ □□□□ □□ □□ □.
3. □□ : 37-46 (3-12)
4. □□ : 100 % PVC □ & □□
5. □□□ : □□ □□ □□ □□□ □□□
6. □□ : 31cm (□□)
7. □□ □□ : 1.35kgs / pr
8. □□ : PVC □□
9. □□ □□ : 3 □□
10. □□ : □□□
11. □□ : □ / □ / □□□ / □□ / □□□□ / □□□□ □□, □□□□ □□. □□outsole □□ □□ □ □□□□□. □□ □□, □ □□□□ □□ □□□ □□□ □□, □□□□□ □ □□□ □□
12. □□ : □□, □□, □□, □□ □□, □□ □□, □□ □.

## Packing

1. □□ □□ □ 1 □, □□ □ 12 □ □□ 15 □
2. □□ □□ : 50x31x48cm □□ 50x31x52cm
3. G.W./NW .: 18kgs / 16.5kgs
4. 3700 □ / 20'GP, 7300 □ / 40'GP, 9000 □ / 40'HQ

## Product Pictures



***Company Information***



**Automatic Injection  
Molding Machine**



**Puncture  
Testing Machine**



**Impact Resistant  
Testing Machine**



**Tensile  
testing machine**



*Canton Fair*



