

Product Description

Model:	SU050
Material:	PU + EVA + PU
Weight:	200g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip
Weight:	1100g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip
Color:	
Material:	EVA HI-POLY PU
Material:	PU
Material:	
Material:	EUR 38 ~ 46
Material:	6
Material:	Metal free, s / / / / , ,
Material:	1 pair 10 pairs. Carton size 58.5 x 40 x 32.5 cm
Material:	3300pairs / 1x20' 6600pairs / 1x40'

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY