

## Product Description

Code:	TH005L
Material:	1. PU 2. PU
Weight:	1. 200 g (per unit) 2. 1100 g (per unit)
Dimensions:	1.1 m / pr
Color:	Black
Material:	EVA HI-POLY PU (EVA HI-POLY PU)
Material:	PU
Material:	PU
Material:	37-47 (3-13)
Material:	CE EN ISO 20345 S1P SRC
Material:	6
Material:	10
Material:	58.5 x 40 x 32.5 cm
Material:	3300 / 1x20 'PU' 6600 / 1x40 'PU'

## Product Pictures





**Company Information**



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI  
3211, ZHUJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.  
1201 Village, Suzhou Town, Jiangsu District, Nanjing,  
Hainanqing Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170024196)

**Product Reference(s):** Safety Plug  
480V/10A/2P  
480V/10A/2P  
480V/10A/2P  
480V/10A/2P  
480V/10A/2P

**Description:**

Construction	Insulation
Terminal	Open contact
Material	Open plug
Line	250V
Use	AC/DC Plug/PC
Mount	AC/DC
Test frequency	See technical file
Test range	250V AC
Category	250V AC/DC

*C.M.* \_\_\_\_\_ 1687/2018

\_\_\_\_\_ 1687/2018

Authorised Representative  
1201 Village, Suzhou Town, Jiangsu District, Nanjing,  
Hainanqing Province, China

Intertek Testing Services (UK) Limited



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY