

## Product Description

|             |  |
|-------------|--|
| 物料:         | TPU 材质 黑色 200J 规格                            |
| 物料号:        | TM005  |
| 规格:         | PU 材质 黑色                                     |
| 规格:         | 1. 规格 200J 规格<br>2. 规格 规格.                   |
| 规格:         | 1. 规格 规格 1100 规格.<br>2. 规格 规格.               |
| 规格:         | 规格 PU 规格                                     |
| 规格:         | PU 规格  |
| 规格:         | 规格 规格 & 规格 规格                                |
| Sockliner : | 规格 规格 规格 EVA                                 |
| 规格:         | 规格 规格  |
| 规格:         | 规格 规格  |
| 规格:         | 36-47 (2-13)                                 |
| 规格:         | S1P  |
| 规格:         | 6 规格   |
| 规格:         | 规格 规格 规格, 规格 10 规格.                          |
| 规格 规格       | 58.5x40x32.5cm                               |
| 规格 规格 规格 :  | 3200 规格 / 1x20 '规格'<br>6400pairs / 1x40 '规格' |

## Product Pictures

**QUALITY  
WARRANTY**

**6** MONTHS





**Company Information**



**Intertek**

### EC Type Examination Certificate

**CE**

|                                   |  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
|-----------------------------------|--|---------------|--------|--------|-----------------|-----------|-------------|--------|-----|--------|----------------|--------|-----|--------------|-------------------------|-------------|--------|-----------|---------|
| <b>Issued to:</b>                 | SHANGHAI HONGYUAN SHIBAO CO., LTD.<br>SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NUSUN<br>3211, ZHUZHOU PROVINCE, CHINA  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Authorised Representative:</b> | SHANGHAI SHAN SAFETY PRODUCTS MFG. CO., LTD.<br>1281 Village, Xuyuan Town, Jiangyin District, Wuxi,<br>Henanjiang Province, China  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Date of Issue:</b>             | 13 January 2018  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Expiry Date:</b>               | 13 February 2020   |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Certificate No.:</b>           | LED170002947 (extension of certificate LED170294719)   |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Product Reference(s):</b>      | Safety Street<br>H8301-08030<br>H8302-08034<br>H8303-08038<br>H8304-08039<br>H8305-08039-SP  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| <b>Description:</b>               | <table><tr><td>Construction:</td><td>Indoor</td></tr><tr><td>Usage:</td><td>Street lighting</td></tr><tr><td>Material:</td><td>Street pole</td></tr><tr><td>Light:</td><td>LED</td></tr><tr><td>Power:</td><td>4000 (typical)</td></tr><tr><td>Mount:</td><td>ACB</td></tr><tr><td>Typ. Height:</td><td>Street pole/Street Pole</td></tr><tr><td>Typ. Range:</td><td>10-15m</td></tr><tr><td>Category:</td><td>SP1-15m</td></tr></table> | Construction: | Indoor | Usage: | Street lighting | Material: | Street pole | Light: | LED | Power: | 4000 (typical) | Mount: | ACB | Typ. Height: | Street pole/Street Pole | Typ. Range: | 10-15m | Category: | SP1-15m |
| Construction:                     | Indoor   |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Usage:                            | Street lighting  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Material:                         | Street pole  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Light:                            | LED  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Power:                            | 4000 (typical)   |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Mount:                            | ACB  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Typ. Height:                      | Street pole/Street Pole  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Typ. Range:                       | 10-15m   |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |
| Category:                         | SP1-15m  |               |        |        |                 |           |             |        |     |        |                |        |     |              |                         |             |        |           |         |

**EU Declaration of Conformity**

*C.M.* 13/01/2018

**EU Declaration of Conformity** 13/01/2018

LED170002947 (extension of certificate LED170294719)





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# Canton Fair



**PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY**