

Product Description

Brand:	Tiger master brand anti slip prevent puncture safety shoes composite toe
Model:	116
Material:	Upper: PU / PU Sole: PU / PU
Weight:	1. 200 g per shoe (without insole). 2. non applicable.
Height:	1. 110mm (without insole). 2. non applicable.
Color:	Black
Size:	Black
Width:	Standard width
Features:	'Anti-static' sole, 'Anti-static', 'Anti-static' sole 'Anti-static' EVA 'Anti-static' sole 'Anti-static'.
Toe Protection:	Composite toe
Weight:	37-46
Standards:	CE EN ISO 20345:2011 S1-P SRC
Quantity:	6 pairs (6 pairs of shoes in a box, 6 pairs of shoes in a box. 6 pairs of shoes in a box).
Weight:	1 pair color 1 pair, 10 pairs.
Dimensions:	59 x 44 x 33 cm
Weight:	3300g/1x20" pair 6600g/1x40" pair

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

本公司生產之 PVC 鞋類產品，符合 ISO 9001:2015 品質管理系統認證。本公司產品符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準。此外，本公司產品符合 [PPE\(個人防護用品\)](#)，並提供多種顏色、款式、尺寸、重量、及 y 值等選擇，以滿足不同需求。

Tiger Master 鞋類產品，符合 ISO 9001:2015 品質管理系統認證。本公司產品符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準。此外，本公司產品符合 [PPE\(個人防護用品\)](#)，並提供多種顏色、款式、尺寸、重量、及 y 值等選擇，以滿足不同需求。

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

