

## Product Description

|            |                                                                              |
|------------|------------------------------------------------------------------------------|
| 0000:      | 00 00 000 000 0000 000 000 00 00 00 000                                      |
| 00 00:     | 0000119                                                                      |
| 00 0 0:    | 00: 00 00 0000 00<br>00: 00 00                                               |
| 000:       | 1. 00 00 0 0 200 00 000 0000. 00 00 000 000000.                              |
|            | 2. non 0 000000.                                                             |
| 00:        | 1. 1100000 00 000 00 0000'000'00'. 000 0000 000 000 00 00 00 000000.         |
|            | 2. non 0 00                                                                  |
| 00:        | 00 00                                                                        |
| 0:         | 00 00 & 0 0000 00                                                            |
| 00:        | 0000 00 00 & 000 0000 00                                                     |
| 00:        | 00 00 00 000 000 EVA 00<br>(00 '0'0 00 '0'0 '00' 0 '00'0 00 '00')            |
| 00:        | 000                                                                          |
| 0:         | 000                                                                          |
| 00:        | 37-45                                                                        |
| 00:        | CE EN ISO 20345:2011 SB-P SRC 0000.                                          |
| 0000:      | 6 00<br>000 000 000 000 0 6 00 000 000 0000 00 000 0000 0000. 000 0000 0000. |
| 000:       | c 1 0 olor 0 00 00, 000 00 10 0.                                             |
| 00 00      | 58.5 x 40 x 32.5 cm                                                          |
| 00000 000: | 33000/1x20" 0000<br>66000/1x40 0000                                          |

## Product Pictures



200 JOULE  
TOECAP



**SLIP-  
RESISTANT**



## SHOCK ABSORPTION



ANTI-STATIC



**PETROL AND  
CHEMICAL  
RESISTANT**



ANTI-NAIL  
MIDSOLE



**OIL  
RESISTANT**









# TIGER MASTER SAMPLE ROOM



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$  N**



**Bondness Test  
 $\geq 4.0$  N/mm**



**Flex Tester  $\geq 36,000$  T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# PERSONAL PROTECTIVE EQUIPMENT

## WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)