



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





COMPANY INFORMATION

TIGER MASTER

000 0000 000 0 PVC 00 0000. 000 ISO 9001:2015 00 00 000 000 00000. 00 00 0 00 000 CE
 ENISO 20345:2011 0 ASTM F2413-18 000 000000. 0 000, 000 000 00 0000 00000 [PPE\(00 00 00\)](#)
 , 00 0000 00 00, 000, 00, 00 00 , 000/000, 00 y 000 , 00/00 0.

Tiger Master 000 00 000 000000. 000 000 00 0000 000 000000 0000. 0 00 000 000000 0000 0000
 000 0000. 000 00 0000 0000.

00:

1. 000000 00 0000000 00 , 0000 0300 000 00 00 00 00 000 000 0000.

2. 00 00 00 18. 00 000 0000 0000 00 000 000 00 000 000. 0000 0000 0300 000 00 00 00000 000 0000.
3. 00 000 00 000 000 0000 0000. , TIGER MASTER, VELVERK, ROCKWALKER, SAFER 00 00
4. 00 00: Tiger master 00 000 00 00 6000 0000 00 00 000 00 00 00 000 0000.
5. 000 00: Tiger master 00 000 CE 0 ASTM 00 0000 000000. 000 00 000 000000.
6. 00 000 000: 000 0000 000 00 000 000 000 00 000 0000. 00 00 00, 000000 00, 0000 000, 0000 000 00 0000 00.

CERTIFICATION TIGER MASTER



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)