

Product Description

Model:	TM2012.
Material:	PU / PU
Weight:	200 g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) / 1100 g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Standard:	CE EN ISO 20345 SBP SRC
Color:	D
Material:	PU
Material:	PU
Material:	EVA
Sockliner:	EVA
Material:	
Material:	
Material:	38-46.
Material:	5.
Material:	
Material:	59 x 44 x 33 cm.
Material:	3300pairs / 1x20' / 6600Pairs / 1x40'


Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Genuine cow leather



Steel toe cap
Impact resistant

Comfortable Insoles
Breathable



Steel plate

Puncture Resistant



Natural Rubber Sole
Oil & acid & slip resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY