

Product Description

Model:	TM2030
Material:	1. 200 Joule toe cap 2. non-slip
Weight:	1. 0.5 kg 2. non-slip
Color:	Black, Red, Blue
Size:	36-47
Standard:	CE EN ISO 20345:2011 SB-P SRC
Features:	6mm slip-resistant, shock absorption, anti-static, petrol and chemical resistant, anti-nail midsole, oil resistant
Dimensions:	59 x 44 x 33 cm
Weight:	3200g/1x20" 6400g/1x40"

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT





Company Information

Our shoes are made of PVC and are ISO 9001:2015 certified. They are CE ENISO 20345:2011 and ASTM F2413-18 certified. They are made of [PPE \(Protective Footwear\)](#), and are made of rubber, leather, and other materials, and are available in various colors and sizes.

Tiger Master shoes are made of high-quality materials and are designed for durability and safety. They are available in various styles and colors, and are suitable for a wide range of work environments.



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)