### **Product Description**

	TM2030
00 0 0:	
000:	1. 00 0000 200 00 00 00 00 00 00 000 00000.
	2. non 🛮 🖂 🖂 🗀
DD:	1. 000 000 00 000 . 000 0000 000 000 00 0
	2. non 🛮 🖺
□:	
00 00:	000 '00' 'EVA' 00 '000' 00 '00' 0 '00' 0
:	
□:	
<u> </u>	36-47
<u> </u>	CE EN ISO 20345:2011 SB-P SRC [][][].
0000:	6 <u>   </u> 
OO:	0000/ 00/ 0/ 000/ 00/ 00/ 00 00, 00 00,000 00 & 00 00.
	1 [] /[] [], 10 [] [][] [] [] 59 x 44 x 33 cm
0000 000:	3200[/1x20" [][][] 6400[/1x40 [][][]

### **Product Pictures**





















### Company Information







#### **TIGER MASTER OFFICE SHOW**





### **TIGER MASTER SAMPLE ROOM**





### **SAFETY SHOES TEST**





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



**ESD Anti-Static Test** 



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

### **Production Process**



## Canton Fair





#### SAFETY SHOES



### **RAIN BOOTS**





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER























