

# DESCRIPTION

# TIGER MASTER

1. 3D 3D 3D 3D 3D . 3D 3D 3D . 3D 3D 3D , 3D 3D 3D , 3D 3D 3D 3D 3D 3D 3D 3D , 3D 3D 3D 3D 3D 3D 3D 3D .
  2. 3D 3D 3D 3D 3D 3D CE 3D . 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D .
  3. 3D HI-POLY 3D 3D 3D 3D 3D 3D 3D 3D .
  4. 3D 3D 3D 3D CE EN ISO 20345:2011 3D 3D 3D 3D .
  5. 3D 3D 3D 3D 3D , 3D 3D 3D 3D 3D 3D 3D 3D .
  6. 3D 3D 3D , 3D 3D 3D , 3D 3D , 3D 3D .
  7. 3D 3D 3D :
- OB:** 3D , **SB:** 3D 3D 3D , **SBP:** 3D 3D 3D 3D  
**S1:** SB 3D 3D , **S1P:** S1 3D , **S2:** S1 3D , **S3:** S1P 3D
8. 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D . 3D 3D 3D 3D 3D 3D 3D 3D !

3D 3D :	TM214P
3D 3D 3D :	3D : 3D 3D 3D 3D , 3D 3D 3D 3D 3D 3D
3D 3D :	1. 3D 3D 200 3D 3D 3D . 2. non 3D 3D 3D 3D .
3D 3D :	1. 1100 3D 3D 3D 3D 3D 3D 3D 3D . 2. non 3D 3D
3D 3D :	3D 3D 3D 3D 3D
3D 3D :	3D 3D 3D
3D 3D :	3D 3D 3D 3D 3D 3D 3D 3D
3D 3D 3D :	3D 3D EVA 3D 3D 3D 3D 3D 3D 3D 3D 3D
3D 3D :	3D 3D
3D 3D :	3D 3D
3D 3D :	36-47
3D 3D :	CE EN ISO 20345 SB-P SRC or 3D
3D 3D 3D :	6 3D 3D 3D 3D 3D 3D 3D 6 3D 3D 3D 3D 3D 3D 3D 3D 3D 3D . 3D 3D 3D 3D 3D .
3D 3D :	3D 3D / 3D 3D / 3D 3D / 3D 3D / 3D 3D / 3D 3D , 3D 3D , 3D 3D .
3D 3D 3D :	color box 3D 1 pair , carton 3D 10pairs. 3D 3D : 58.5 x 40 x 32.5cm
3D 3D 3D 3D :	3300 3D /1x20" 3D 3D 6600 3D /1x40 3D 3D

## PRODUCT PICTURES

## TIGER MASTER



200 JOULE  
TOECAP



SLIP-  
RESISTANT



SHOCK  
ABSORPTION



ANTI-STATIC



PETROL AND  
CHEMICAL  
RESISTANT



ANTI-NAIL  
MIDSOLE



OIL  
RESISTANT

# **TIGER MASTER®**

**CE APPROVED**



Breathable Air Hole mesh

Air Breathable  
3D Fly Knitted Fabric Upper

Abrasion Resistant  
Supported Counterpart

Wide Fitting  
Steel Toe Cap



Anti Static Performance

Shock Absorption  
Double Density PU Sole



Superior Comfortable  
Memory Foam Insoles

Anti-nail Penetration Midsole Plate









# 01

Steel Toe

## Anti-Shock Steel toe cap

Steel toe cap design giving protection from dangerous falling objects

### European Standard Steel Toe Cap

- ① Steel toe shoes with CE EN ISO 20345:2011 standard
- ② Impact resistance of 200J
- ③ Widened Steel Toe
- ④ Pressure resistance > 15KN



**02**

**Puncture Proof**

## **Puncture Proof Midsole**

**Steel mid-sole puncture proof 1100 newtons,  
To protect your feet without puncture by nail or  
sharp objects.**

**Steel Mid-sole**



**03**

Anti-Slip

## PU Out Sole

Slip-resistant PU outsole meets CE EN ISO  
20345:2011 Non-Slip Testing Standards.

**Provides stronger wear-resisting,  
a slip-resistant PU outsole for excellent stability.**





**04**

Breathable & Soft

## Upper & Insole

Breathable 3D fly knit fabric Upper

Removable metatomical HI-POLY footbed provides long-lasting underfoot support and comfort.

CE APPROVED



Breathable 3D fly knit fabric



# PACKING



## COMPANY INFORMATION

## TIGER MASTER

本公司 採用 PVC 鋼頭鋼底。通過 ISO 9001:2015 品質管理體系認證。通過 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準認證。採用 PPE(鋼頭鋼底) , 鋼頭鋼底鋼底, 鋼底, 鋼底, 鋼底, 鋼底/鋼底, 鋼底 y 鋼底, 鋼底/鋼底。

Tiger Master 鋼底鋼底鋼底鋼底。鋼底鋼底鋼底鋼底鋼底鋼底。鋼底鋼底鋼底鋼底鋼底鋼底鋼底鋼底。鋼底鋼底鋼底鋼底鋼底鋼底鋼底鋼底。





# TIGER MASTER OFFICE SHOW



# TIGER MASTER SAMPLE ROOM





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)