

Product Description

Model:	TM216Y-L.
Material:	Upper : PU / PU Insole : PU / PU
Weight:	1. 200g per pair 2. 200g per pair
Length:	1. 1100mm insole 2. 1100mm
Color:	Black
Material:	PU
Material:	PU (Upper & Insole)
Sockliner:	PU insole - PU insole (Upper & Insole)
Material:	PU
Material:	PU
Material:	37-47
Material:	CE EN ISO 20345 : 2011 S1-P SRC
Material:	6
Material:	C 1 color, 10
Material:	58.5 x 40 x 32.5 cm.
Material:	3300pairs / 1x20 6600Pairs / 1x40

Product Pictures





[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY